L Number	Hits	Search Text	DB	Time stamp	
1	2262	(LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:19	
2	35	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema near9 directory near9 objects!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:20	
3	23	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema near9 directory near9 objects!) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:24	
4	7	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema near9 directory near9 objects!) and 707/\$.ccls.) and classes! and Java and (object adj oriented) adj programming	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:25	
5	7	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema near9 directory near9 objects!) and 707/\$.ccls.) and classes! and Java and ((object adj oriented) adj programming)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:25	
6	2	(((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema near9 directory near9 objects!) and 707/\$.ccls.) and classes! and Java and ((object adj oriented) adj programming)) and x.500	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:33	
7	3399	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6 sams (data adj dictionary) same directoryr	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25 12:28	
8	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6 same (data adj dictionary) same directoryr	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25 12:28	
9	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6 same (data adj dictionary) same directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:29	
10 .		((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6 same directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:29	
11	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6 same ((data adj dictionary) or categor\$5) same directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25 12:30	
12	19	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:30	
13	0	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6) and ((data adj dictionary) or categor\$5) with directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:31	

14	5	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:33
•		adj access adj protocol))) and schema same instantiat\$6) and	US-PGPUB;	
	İ	((data adj dictionary) or categor\$5) same directory	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
15	3	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:33
	-	adj access adj protocol))) and schema same instantiat\$6) and	US-PGPUB;	
		((data adj dictionary) or categor\$5) same directory) and x.500	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

<del></del>	= 1.00			I
L Number	Hits	Search Text	DB	Time stamp
1	2262	(LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:19
		adj access adj protocol))	US-PGPUB;	
			EPO; JPO; DERWENT;	
	25	(// DAD as //lisht.coisht@2 as /lisht adisisht@2\\ adi disastas.	IBM_TDB	2004/02/25 42:20
2	35	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:20
		adj access adj protocol))) and schema near9 directory near9	US-PGPUB;	
		objects!	EPO; JPO; DERWENT;	
			IBM TDB	
3	23	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:24
		adj access adj protocol))) and schema near9 directory near9	US-PGPUB;	2004/05/25 12.24
		objects!) and 707/\$.ccls.	EPO; JPO;	
		3,550.5.) 4.1.4 1.51.74.35.5.	DERWENT;	
1			IBM TDB	
4	7	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:25
		adj access adj protocol))) and schema near9 directory near9	US-PGPUB;	
		objects!) and 707/\$.ccls.) and classes! and Java and (object	EPO; JPO;	
		adj oriented) adj programming	DERWENT:	
1		•	IBM_TDB	
5	7	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:25
1		adj access adj protocol))) and schema near9 directory near9	US-PGPUB;	
		objects!) and 707/\$.ccls.) and classes! and Java and ((object	EPO; JPO;	
		adj oriented) adj programming)	DERWENT;	
			IBM_TDB	
6	. 2	(((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj	USPAT;	2004/03/25 12:33
1		directory adj access adj protocol))) and schema near9	US-PGPUB;	
		directory near9 objects!) and 707/\$.ccls.) and classes! and	EPO; JPO;	
Ì		Java and ((object adj oriented) adj programming)) and x.500	DERWENT;	
		//LDAD //:	IBM_TDB	0004/00/05 40 00
8	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:28
	:	adj access adj protocol))) and schema same instantiat\$6 same	US-PGPUB;	
		(data adj dictionary) same directoryr	EPO; JPO; DERWENT;	
l			IBM_TDB	
9	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:29
		adj access adj protocol))) and schema same instantiat\$6 same	US-PGPUB;	2004/00/20 12.20
		(data adj dictionary) same directory	EPO; JPO;	
			DERWENT;	
<b>!</b>			IBM_TDB	
10	10	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:29
		adj access adj protocol))) and schema same instantiat\$6 same	US-PGPUB;	
		directory	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
11	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:30
		adj access adj protocol))) and schema same instantiat\$6 same	US-PGPUB;	
		((data adj dictionary) or categor\$5) same directory	EPO; JPO;	
			DERWENT;	
12	40	//IDAD or //lightwoight@2 or /light adi=:=b460\\ adi dia 4	IBM_TDB	2004/02/25 42 22
14	19	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6	USPAT;	2004/03/25 12:30
		auj access auj protocoiji) anu schema same instantiat\$0	US-PGPUB; EPO; JPO;	
			DERWENT;	
	-		IBM_TDB	
13	o	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:31
		adj access adj protocol))) and schema same instantiat\$6) and	US-PGPUB;	
<u> </u>		((data adj dictionary) or categor\$5) with directory	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
14	5	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:33
		adj access adj protocol))) and schema same instantiat\$6) and	US-PGPUB;	
		((data adj dictionary) or categor\$5) same directory	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	

15	3	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:33
		adj access adj protocol))) and schema same instantiat\$6) and	US-PGPUB;	
		((data adj dictionary) or categor\$5) same directory) and x.500	EPO; JPO;	
			DERWENT;	
			IRM TOR	

1 Ni mahan	Lita	Secret Toy	DB	Time stamp
L Number	Hits 2262	Search Text (LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:34
'	2202	adj access adj protocol))	US-PGPUB;	2004/03/23 12.04
		auj access auj protocoi//	EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	
2	35	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT:	2004/03/25 12:20
2	35	adj access adj protocol))) and schema near9 directory near9	US-PGPUB;	2004/03/23 12.20
		• • • • • • • • • • • • • • • • • • • •	EPO; JPO;	
		objects!	DERWENT;	
			IBM_TDB	
3	23	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT:	2004/03/25 12:24
3	20	adj access adj protocol))) and schema near9 directory near9	US-PGPUB;	200 1100/20 12:21
		objects!) and 707/\$.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	7	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:36
-	· '	adj access adj protocol))) and schema near9 directory near9	US-PGPUB;	200 1100120 12100
		objects!) and 707/\$.ccls.) and classes! and Java and (object	EPO; JPO;	
		adj oriented) adj programming	DERWENT;	
		day ononcoa, and programming	IBM_TDB	
5	. 7	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:25
-		adj access adj protocol))) and schema near9 directory near9	US-PGPUB;	
		objects!) and 707/\$.ccls.) and classes! and Java and ((object	EPO; JPO;	
		adj oriented) adj programming)	DERWENT;	
		( a - ) - 1 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2	IBM_TDB	
6	2	(((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj	USPAT;	2004/03/25 12:33
		directory adj access adj protocol))) and schema near9	US-PGPUB;	
	1	directory near9 objects!) and 707/\$.ccls.) and classes! and	EPO; JPO;	
		Java and ((object adj oriented) adj programming)) and x.500	DERWENT;	
		( , , , , , , , , , , , , , , , , , , ,	IBM_TDB	
8	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:28
1		adj access adj protocol))) and schema same instantiat\$6 same	US-PGPUB;	
		(data adj dictionary) same directoryr	EPO; JPO;	
			DERWENT;	
	·		IBM_TDB	
9	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:29
		adj access adj protocol))) and schema same instantiat\$6 same	US-PGPUB;	
		(data adj dictionary) same directory	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
10	10	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:29
		adj access adj protocol))) and schema same instantiat\$6 same	US-PGPUB;	
1	Į	directory	EPO; JPO;	
			DERWENT;	ļ
		MIDAD Malandalahan ada malandalah di Manadalahan di Manadalah di M	IBM_TDB	2004/02/25 42:20
11	0	((LDAP or ((lightweight\$3 or (light adj weight\$3))) adj directory	USPAT;	2004/03/25 12:30
1		adj access adj protocol))) and schema same instantiat\$6 same	US-PGPUB;	
		((data adj dictionary) or categor\$5) same directory	EPO; JPO;	
			DERWENT;	
140	40	(/I DAD or //lightypightt2 or /light adi upightt2)\ adi disastan	IBM_TDB USPAT;	2004/03/25 12:30
12	19	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	US-PGPUB;	2004/03/25 12.30
		adj access adj protocol))) and schema same instantiat\$6	EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	
13	0	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:31
13 .		adj access adj protocol))) and schema same instantiat\$6) and	US-PGPUB;	200-700/20 12.01
	1.	((data adj dictionary) or categor\$5) with directory	EPO; JPO;	
	1	((uata auj dictionary) or categorias) with directory	DERWENT;	
1	1		IBM_TDB	
14	5	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:33
'*	5	adj access adj protocol))) and schema same instantiat\$6) and	US-PGPUB;	
		((data adj dictionary) or categor\$5) same directory	EPO; JPO;	
1		((vala adjulctionally) of categories) same directory	DERWENT;	
1			IBM_TDB	
	J		1 10111 100	

			7	
15	3	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6) and ((data adj dictionary) or categor\$5) same directory) and x.500	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:33
16	o	(LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and cateogry and directories!	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:34
17	0	(LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and categoeirs! and directories!	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:35
18	53	(LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and categories! and directories!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:35
19	28	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and categories! and directories!) and Java with classes! and objects!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:37
20	28	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and categories! and directories!) and Java with classes! and objects!) and (object adj oriented) adj programming	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25 12:37
21	28	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and categories! and directories!) and Java with classes! and objects!) and (object adj oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:37
22	28	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and categories! and directories!) and Java with classes!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:37
23	32	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and categories! and directories!) and Java and classes and objects!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:38
24	12	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and categories! and directories!) and Java and classes and objects!) and (707/\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:38

		<b>.</b>		
L Number	Hits	Search Text	DB	Time stamp
1 3	51	directory adj shell	USPAT;	2004/03/25 13:0
			US-PGPUB;	
ļ			EPO; JPO;	,
ľ			DERWENT;	
ŀ			IBM_TDB	
2	0	(directory adj shell) and directories with categories!	USPAT;	2004/03/25 13:0
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	•
3	0	(directory adj shell) and directories! with categories!	USPAT;	2004/03/25 13:
			US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
		, , , , , , , , , , , , , , , , , , , ,	IBM_TDB	
4	0	(directory adj shell) and directories! same categories!	USPAT;	2004/03/25 13:
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
5	254	directories! same categories!	USPAT;	2004/03/25 13:
j			US-PGPUB;	
ŀ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	124	directories! with categories!	USPAT;	2004/03/25 13:
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
7	0	(directories! with categories!) and shell with (directory or	USPAT;	2004/03/25 13:
		category)	US-PGPUB;	
}			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	60	(directories! with categories!) and (shell or module or	USPAT;	2004/03/25 13:
		application or program) with (directory or category)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
9	15	((directories! with categories!) and (shell or module or	USPAT;	2004/03/25 13:
i		application or program) with (directory or category)) and LDA		
			EPO; JPO;	
ĺ			DERWENT;	
.			IBM_TDB	
10	15141	(shell or module or application or program) with (directory or	USPAT;	2004/03/25 13:
		category)	US-PGPUB;	
			EPO; JPO;	
ļ			DERWENT;	
. 1			IBM_TDB	
11	999	((shell or module or application or program) with (directory or	USPAT;	2004/03/25 13
į.		category)) and LDAP	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
40			IBM_TDB	
12	264	(((shell or module or application or program) with (directory or		2004/03/25 13
		category)) and LDAP) and 707/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		Walan and a same and a	IBM_TDB	
13	76	((((shell or module or application or program) with (directory o		2004/03/25 13:
		category)) and LDAP) and 707/\$.ccls.) and directories! and	US-PGPUB;	
ļ		categories!	EPO; JPO;	
İ			DERWENT;	
i i			IBM TDB	l .

<b>\</b>				
14	28	(((((shell or module or application or program) with (directory or category)) and LDAP) and 707/\$.ccls.) and directories! and	USPAT; US-PGPUB;	2004/03/25 13:15
		categories!) and (search\$3 or query) near6 interface	EPO; JPO; DERWENT;	
15	11	((((((shell or module or application or program) with (directory	IBM_TDB USPAT;	2004/03/25 13:14
15		or category)) and LDAP) and 707/\$.ccls.) and directories! and	US-PGPUB;	2004/03/25 13.14
		categories!) and (search\$3 or query) near6 interface) and	EPO; JPO;	
		x.500	DERWENT;	
16	0	(((((((shell or module or application or program) with (directory	IBM_TDB USPAT;	2004/03/25 13:14
		or category)) and LDAP) and 707/\$.ccls.) and directories! and	US-PGPUB;	
		categories!) and (search\$3 or query) near6 interface) and	EPO; JPO;	
ļ.		x.500) and hiearch\$6 and structure	DERWENT;	
17	11	(((((((shell or module or application or program) with (directory	IBM_TDB USPAT;	2004/03/25 13:14
''	''	or category)) and LDAP) and 707/\$.ccls.) and directories! and	US-PGPUB;	2004/03/20 13.14
		categories!) and (search\$3 or query) near6 interface) and	EPO; JPO;	
		x.500) and hierarch\$6 and structure	DERWENT;	
			IBM_TDB	00044004054045
18	9	(((((((shell or module or application or program) with (directory or category)) and LDAP) and 707/\$.ccls.) and directories! and	USPAT; US-PGPUB;	2004/03/25 13:15
1		categories!) and (search\$3 or query) near6 interface) and	EPO; JPO;	
		x.500) and hierarch\$6 and structure) and x.500 same	DERWENT;	
	]	(hierarch\$6 or structure)	IBM_TDB	
19	9	(((((((shell or module or application or program) with (directory	USPAT;	2004/03/25 13:15
		or category)) and LDAP) and 707/\$.ccls.) and directories! and categories!) and (search\$3 or query) near6 interface) and	US-PGPUB; EPO; JPO;	
		x.500) and hierarch\$6 and structure) and x.500 with	DERWENT;	•
		(hierarch\$6 or structure)	IBM_TDB	
20	78	(((shell or module or application or program) with (directory or	USPAT;	2004/03/25 13:15
		category)) and LDAP) and x.500 with (hierarch\$6 or structure)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
23	70	((((shell or module or application or program) with (directory or	USPAT;	2004/03/25 13:16
		category)) and LDAP) and x.500 with (hierarch\$6 or structure))	US-PGPUB;	
		and (search\$3 or query) near6 (directory or category)	EPO; JPO;	
			DERWENT;	
24	34	(((((shell or module or application or program) with (directory	USPAT;	2004/03/25 13:16
		or category)) and LDAP) and x.500 with (hierarch\$6 or	US-PGPUB;	
		structure)) and (search\$3 or query) near6 (directory or	EPO; JPO;	
		category)) and 707/\$.ccls.	DERWENT;	
25	22	((((((shell or module or application or program) with (directory	IBM_TDB   USPAT;	2004/03/25 13:17
-3		or category)) and LDAP) and x.500 with (hierarch\$6 or	US-PGPUB;	2004/00/20 13.17
		structure)) and (search\$3 or query) near6 (directory or	EPO; JPO;	
		category)) and 707/\$.ccls.) and interface	DERWENT;	
			IBM_TDB	<u> </u>